



## product overview

## light + ventilation | mini





|                    |                                   |              |
|--------------------|-----------------------------------|--------------|
| colour             | black ano                         | white struc  |
| colour temperature | 2700K                             | 3000K        |
| beam angle         | 20°                               | 40°          |
| output             | up to 1000 lumen                  |              |
| other              | IP44                              | CRI 90+ / 97 |
| ventilation        | extract up to 50m <sup>3</sup> /h |              |
| price              | € 349 excl. VAT                   |              |

## light only | mini




|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 20°              | 40°         |
| output             | up to 1000 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 44               |             |
| price              | € 269 excl. VAT  |             |

## trimless spot | mini



|                    |                 |             |
|--------------------|-----------------|-------------|
| colour             | black ano       | white struc |
| colour temperature | 2700K           | 3000K       |
| beam angle         | 20°             | 40°         |
| output             | up to 750 lumen |             |
| CRI                | 90+             | 97          |
| IP                 | 44              |             |
| price              | € 129 excl. VAT |             |


## surface spot | mini



|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 20°              | 40°         |
| output             | up to 1000 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 20               |             |
| price              | € 229 excl. VAT  |             |


## product overview

## acrobat mini | long




|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 20°              | 40°         |
| output             | up to 1000 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 20               |             |
| price              | € 289 excl. VAT  |             |

## acrobat mini | short





|                    |                 |             |
|--------------------|-----------------|-------------|
| colour             | black ano       | white struc |
| colour temperature | 2700K           | 3000K       |
| beam angle         | 20°             | 40°         |
| output             | up to 750 lumen |             |
| CRI                | 90+             | 97          |
| IP                 | 20              |             |
| price              | € 289 excl. VAT |             |

## acrobat mini | trim long



|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 20°              | 40°         |
| output             | up to 1000 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 20               |             |
| price              | € 289 excl. VAT  |             |


## acrobat mini | trim short



|                    |                 |             |
|--------------------|-----------------|-------------|
| colour             | black ano       | white struc |
| colour temperature | 2700K           | 3000K       |
| beam angle         | 20°             | 40°         |
| output             | up to 750 lumen |             |
| CRI                | 90+             | 97          |
| IP                 | 20              |             |
| price              | € 289 excl. VAT |             |


## product overview

acrotrack mini | long




|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 20°              | 40°         |
| output             | up to 1000 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 20               |             |
| price              | € 299 excl. VAT  |             |

acrotrack mini | short




|                    |                 |             |
|--------------------|-----------------|-------------|
| colour             | black ano       | white struc |
| colour temperature | 2700K           | 3000K       |
| beam angle         | 20°             | 40°         |
| output             | up to 750 lumen |             |
| CRI                | 90+             | 97          |
| IP                 | 20              |             |
| price              | € 299 excl. VAT |             |

acrojack mini | long



|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 20°              | 40°         |
| output             | up to 1000 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 20               |             |
| price              | € 289 excl. VAT  |             |



acrobat surface mini | long



|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 20°              | 40°         |
| output             | up to 1000 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 20               |             |
| price              | € 299 excl. VAT  |             |


## product overview

## light + ventilation | long





|                           |                                   |              |     |
|---------------------------|-----------------------------------|--------------|-----|
| <b>colour</b>             | black ano                         | white struc  |     |
| <b>colour temperature</b> | 2700K                             | 3000K        |     |
| <b>beam angle</b>         | 15°                               | 25°          | 40° |
| <b>output</b>             | up to 1100 lumen                  |              |     |
| <b>other</b>              | IP44                              | CRI 90+ / 97 |     |
| <b>ventilation</b>        | extract up to 50m <sup>3</sup> /h |              |     |
| <b>price</b>              | € 349 excl. VAT                   |              |     |

## light + ventilation | short




|                           |                                   |              |
|---------------------------|-----------------------------------|--------------|
| <b>colour</b>             | black ano                         | white struc  |
| <b>colour temperature</b> | 2700K                             | 3000K        |
| <b>beam angle</b>         | 25°                               |              |
| <b>output</b>             | up to 600 lumen                   |              |
| <b>other</b>              | IP44                              | CRI 90+ / 97 |
| <b>ventilation</b>        | extract up to 50m <sup>3</sup> /h |              |
| <b>price</b>              | € 349 excl. VAT                   |              |

## light only | long



|                           |                  |               |     |
|---------------------------|------------------|---------------|-----|
| <b>colour</b>             | black ano        | white struc   |     |
| <b>colour temperature</b> | 2700K            | 3000K         |     |
| <b>beam angle</b>         | 15°              | 25°           | 40° |
| <b>output</b>             | up to 1100 lumen |               |     |
| <b>CRI</b>                | 90+              | 97 on request |     |
| <b>IP</b>                 | 44               |               |     |
| <b>price</b>              | € 269 excl. VAT  |               |     |


## light only | short



|                           |                 |             |
|---------------------------|-----------------|-------------|
| <b>colour</b>             | black ano       | white struc |
| <b>colour temperature</b> | 2700K           | 3000K       |
| <b>beam angle</b>         | 25°             |             |
| <b>output</b>             | up to 600 lumen |             |
| <b>CRI</b>                | 90+             | 97          |
| <b>IP</b>                 | 44              |             |
| <b>price</b>              | € 269 excl. VAT |             |



## product overview

trimless spot




|                    |                  |             |     |
|--------------------|------------------|-------------|-----|
| colour             | black ano        | white struc |     |
| colour temperature | 2700K            | 3000K       |     |
| beam angle         | 25°              | 40°         | 60° |
| output             | up to 1100 lumen |             |     |
| CRI                | 90+              | 97          |     |
| IP                 | 44               |             |     |
| price              | € 129 excl. VAT  |             |     |

trimless spot | adjustable





|                    |                  |             |     |
|--------------------|------------------|-------------|-----|
| colour             | black ano        | white struc |     |
| colour temperature | 2700K            | 3000K       |     |
| beam angle         | 15°              | 25°         | 40° |
| output             | up to 1100 lumen |             |     |
| CRI                | 90+              | 97          |     |
| IP                 | 44               |             |     |
| price              | € 169 excl. VAT  |             |     |

trim spot



|                    |                  |             |     |
|--------------------|------------------|-------------|-----|
| colour             | black ano        | white struc |     |
| colour temperature | 2700K            | 3000K       |     |
| beam angle         | 25°              | 40°         | 60° |
| output             | up to 1100 lumen |             |     |
| CRI                | 90+              | 97          |     |
| IP                 | 44               |             |     |
| price              | € 129 excl. VAT  |             |     |


trim spot | adjustable



|                    |                  |             |     |
|--------------------|------------------|-------------|-----|
| colour             | black ano        | white struc |     |
| colour temperature | 2700K            | 3000K       |     |
| beam angle         | 15°              | 25°         | 40° |
| output             | up to 1100 lumen |             |     |
| CRI                | 90+              | 97          |     |
| IP                 | 44               |             |     |
| price              | € 169 excl. VAT  |             |     |



## product overview

## light + ventilation | trim long




|                    |                                   |              |
|--------------------|-----------------------------------|--------------|
| colour             | black ano                         | white struc  |
| colour temperature | 2700K                             | 3000K        |
| beam angle         | 25°                               | 40°          |
| output             | up to 1100 lumen                  |              |
| other              | IP44                              | CRI 90+ / 97 |
| ventilation        | extract up to 50m <sup>3</sup> /h |              |
| price              | € 329 excl. VAT                   |              |

## light + ventilation | trim short




|                    |                                   |              |
|--------------------|-----------------------------------|--------------|
| colour             | black ano                         | white struc  |
| colour temperature | 2700K                             | 3000K        |
| beam angle         | 25°                               |              |
| output             | up to 600 lumen                   |              |
| other              | IP44                              | CRI 90+ / 97 |
| ventilation        | extract up to 50m <sup>3</sup> /h |              |
| price              | € 329 excl. VAT                   |              |

## light only | trim long



|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 25°              | 40°         |
| output             | up to 1100 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 44               |             |
| price              | € 249 excl. VAT  |             |


## light only | trim short



|                    |                 |             |
|--------------------|-----------------|-------------|
| colour             | black ano       | white struc |
| colour temperature | 2700K           | 3000K       |
| beam angle         | 25°             |             |
| output             | up to 600 lumen |             |
| CRI                | 90+             | 97          |
| IP                 | 44              |             |
| price              | € 249 excl. VAT |             |

## product overview


## light + ventilation | trim SE



|                    |                                   |         |
|--------------------|-----------------------------------|---------|
| colour             | black                             |         |
| colour temperature | 2700K                             | 3000K   |
| beam angle         | 25°                               |         |
| output             | up to 600 lumen                   |         |
| other              | IP44                              | CRI 80+ |
| ventilation        | extract up to 50m <sup>3</sup> /h |         |
| price              | € 229 excl. VAT                   |         |


## product overview

## acrobat




|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 25°              | 40°         |
| output             | up to 1100 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 44               |             |
| price              | € 289 excl. VAT  |             |

## acrobat surface




|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 25°              | 40°         |
| output             | up to 1100 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 44               |             |
| price              | € 299 excl. VAT  |             |

## acrojack



|                    |                  |             |
|--------------------|------------------|-------------|
| colour             | black ano        | white struc |
| colour temperature | 2700K            | 3000K       |
| beam angle         | 25°              | 40°         |
| output             | up to 1100 lumen |             |
| CRI                | 90+              | 97          |
| IP                 | 44               |             |
| price              | € 289 excl. VAT  |             |

## acrotrack 48V




|                    |                 |             |
|--------------------|-----------------|-------------|
| colour             | black ano       | white struc |
| colour temperature | 2700K           | 3000K       |
| beam angle         | 25°             | 40°         |
| output             | up to 800 lumen |             |
| CRI                | 90+             | 97          |
| IP                 | 44              |             |
| price              | € 299 excl. VAT |             |




## product overview

## surface spot




|                    |                  |             |     |
|--------------------|------------------|-------------|-----|
| colour             | black ano        | white struc |     |
| colour temperature | 2700K            | 3000K       |     |
| beam angle         | 25°              | 40°         | 60° |
| output             | up to 1100 lumen |             |     |
| CRI                | 90+              | 97          |     |
| IP                 | 44               |             |     |
| price              | € 229 excl. VAT  |             |     |

## invisible E27




|               |                |
|---------------|----------------|
| fitting       | E27            |
| light bulb    | excluded       |
| input voltage | 220-240V       |
| dimmable      | see light bulb |
| power         | max. 60W       |
| IP            | 20             |
| price         | € 89 excl. VAT |

## plaster ring Ø108



|                   |                                    |
|-------------------|------------------------------------|
| ventilation specs | fits into every Ø125 valve adapter |
| price             | € 29 excl. VAT                     |



## clt csc ring Ø108



|                   |                                    |
|-------------------|------------------------------------|
| ventilation specs | fits into every Ø125 valve adapter |
| price             | € 29 excl. VAT                     |

## product overview



plaster ring Ø57



price

€ 19 excl. VAT



clt csc ring Ø57



price

€ 19 excl. VAT



plaster ring Ø38



price

€ 19 excl. VAT

plaster ring jack



price

€ 69 excl. VAT