


acrobat surface mini duo/trio

installation instruction




Turn the power off.

for **aluminium version** go to page 3 ([click here](#))


for **brass version** go to page 7 ([click here](#))

Choose your version.




Fix the mounting plate on the ceiling with the appropriate screws. Use the triangles as an auxiliary tool for alignment.

3




Now connect the grounding to the wago connector.

4




Also connect the wires to the wago connectors.



Click the fixture into the mounting plate. Make sure all cables are neatly tucked away.

thank you for choosing prado




Replace glass lense when broken.
Luminaire shall only be used together with glass lens.

prado.com


Installation must be done by skilled professionals only and instructions must be followed at all times. Warranty will not apply in case of wrongful use or if unskilled personnel attempts to repair a product.

2


brass version

First put the fixture upside down on a protected surface and partially loosen the bolts on both sides.

3




Now disassemble the fixture.




Fix the mounting plate on the ceiling with the appropriate screws.

5




Now connect the grounding to the wago connector.

6




Also connect the wires to wago connectors.



Finally attach the fixture to the mounting plates by screwing in the bolts completely. Make sure all cables are neatly tucked away.

thank you for choosing prado



prado.com

Installation must be done by skilled professionals only and instructions must be followed at all times. Warranty will not apply in case of wrongful use or if unskilled personnel attempts to repair a product.