

# pradovent

Whisper-quiet  
ventilation.

Fits into every  
Ø100 & Ø125 ducts.



Supply or exhaust.  
The choice is yours.

Paintable,  
with synthetic primer.





## ventilation only

## pradovent | trimless Ø108





finishes	black	white
type	supply	extraction
air flow	max. 50m <sup>3</sup> /h	
compatibility	fits into every Ø125 ventilation duct	
pressure - noise level	7-75Pa	< 27dB(A)
lock mechanism	integrated	
price	€ 49 - 79 excl. VAT	

## pradovent | trim Ø125



finishes	black	white
type/air flow	supply max. 75m <sup>3</sup> /h	extraction max. 50m <sup>3</sup> /h
compatibility	fits into every Ø125 ventilation duct	
pressure - noise level	5-85Pa	< 27dB(A)
lock mechanism	integrated	
price	€ 49 excl. VAT	



## pradovent | trim Ø100



finishes	black	white
type/air flow	extraction max. 50m <sup>3</sup> /h	
compatibility	fits into every Ø100 ventilation duct	
pressure	19-95Pa	
noise level	< 27 dB(A)	
lock mechanism	integrated	
price	€ 41 excl. VAT	



## ventilation only

## mounting collar | pradovent trim Ø125



compatible with	pradovent   trim Ø125
ventilation duct	flexible ventilation ducts - Ø125
mounting surface thickness	min 9.5 mm
location	indoor
price	€ 9 excl. VAT

## mounting collar | pradovent trim Ø100



compatible with	pradovent   trim Ø100
ventilation duct	flexible ventilation ducts - Ø100
mounting surface thickness	min 9.5 mm
location	indoor
price	€ 9 excl. VAT